
INTEGRABLE LASER MARKER



CO2 LASER



The CO2 laser marker is perfectly suited for marking organic materials. Unlike conventional marking systems like inkjet or label, the laser operates without contact and does not require maintenance or consumables.



FROM THE NATURAL TO THE TRANSPARENT

Our powerful and versatile CO2 laser engravers use a 10600 nm wavelength in the infrared range, which provides a precise and permanent marking on a wide range of materials such as natural materials (wood, leather, paper, fruits & vegetables), transparent material (glass, transparent plastics) and coated materials (painted surfaces, anodized aluminum).

ECO-FRIENDLY SOLUTION

Direct marking with CO2 laser engraver is a real alternative to stamping, inkjet, or labeling in several fields. Our solution is environmentally friendly as no ink is used and no waste is generated.

The CO2 laser works without consumables, unlike the other alternatives, so there is no need to replace ink or stop the machine for maintenance.

VISION MANAGER - ONE SOLUTION FOR MARKING & READING


With the efficient Vision Manager, identification of your parts is ensured. High-efficiency reading camera, easy to install, grade analysis and sending status information to the PLC are some of the features the module offers. Associated with an extremely high coding speed (up to 10,000 mm/s), the CO2 series is designed to be integrated into high productivity lines.







KEY FEATURES



Total transparency

As a non-contact marking system, our CO2 laser technology can safely engrave even on the thinnest glass and transparent plastic (PC & PET) without the risk of damaging the product.

The glass is only marked on its surface and for transparent /translucent PET plastics, a perfectly readable white marking on the surface is achieved.



The wood marking specialist

Operating without consumables, CO2 laser engraver directly marks the wood at the end of production, without altering of the quality of the material.

Laser marking of wood does not generate chips, but only smoke, gases, and dust which can be safely evacuated by an extraction system.

There are many marking possibilities on wood which can be obtained by adjusting the speed or the power of the CO2 laser. The marking color can vary from dark brown, different shades of brown or even white.



Embedded on the Laser

This CO2 laser marker can work independently in a production line and generate all data necessary to your identification without a computer.

It can serialize your parts instantaneously, generate unique ID with complex marking content (timestamps with multiple formats, variables, counters, shift codes) and update the text and 1D/2D codes predefined in your templates.


This powerful embedded electronic can communicate and centralize information coming from your PLCs and database in real-time, saving you time while increasing your productivity.

LEARN MORE ABOUT THIS PRODUCT



APPLICATIONS





Fruits & vegetables marking



Non-contrasted marking on plastics



Marking on wood



Marking on labels



Glass & transparent plastics

MATERIAL CHARACTERISTICS

	Technology	CO2
Materials	Colored plastic	O
	Food	•
	Glass, crystal, transparent plastics	•
	Leather	$\Diamond \blacklozenge$
	Wood, varnished wood	$\Diamond \blacklozenge$
	Foam	\$
	Anodized aluminum	•
	Coated metals	•

= Cutting C = Engraving / Deep Marking = Marking / Etching

MAKE YOUR SAMPLES





SOFTWARE





Lasertrace is a unique software specially designed to create marking files to be loaded in the laser system. It includes a graphic composition to add text, logos and codes like Datamatrix in your marking templates.

You can describe your marking process according to specified rules: the actions (marking blocks) to be carried out, the sequence of execution and the possibility to implement a large choice of transitions (output activations, camera blocks, variables, etc).

ACCESSORIES



Exhaust system

Laser fume extractors guarantee clean and safe work and working environement.



Rotary device

Rotation system for cylindrical part marking.



eZ Laser Motorized and autonomous Z-axis for laser marker.

SERVICE & SUPPORT



Training Standard or customized training sessions, at your place or online.



Technical Support

Gravotech experts dedicated to support and guide you.



Maintenance

Gravotech has established a dedicated program for each machine type, including cleaning, adjustments, safety checks and more.

TECHNICAL DATA

	CO2 SERIES
Model	C 30
Laser technology	CO2
Power	30 W
Frequency	CW laser (Continous Wave)
Scan speed	Up to 10000 mm/s (393.7 in/s)
Marking area - Available lenses	F100: 70 x 70 mm (2.75 x 2.75 in) F150: 100 x 100 mm (3.94 x 3.94 in) F200: 140 x 140 mm (5.51 x 5.51 in) F300: 210 x 210 mm (8.27 x 8.27 in)
Communication Interfaces (standard)	Ethernet TCP/IP; Terminal block 8I / 80; Laser Safety Dedicated I/O; RS232; USB
Fieldbus	PROFINET or ETHERNET IP
Display	Integrated screen with control panel for: REAL-TIME SUPERVISION, EASY DIAGNOSIS, SOFTWARE UPDATES, MEMORY BACK-UP
Marking specifications	+60 Gravotech fonts, Possible to convert User & TTF fonts, All formats of barcode and 2D codes, Logos
Operating temperature	10 to 40°C (50 to 104 F)
Rated voltage	100 - 240 V AC
Marking head weight	24 kg (52.9 lbs)
Marking head cable length	All-in-One laser
Marking head installation direction	All positions
Laser safety classification	Class 4





info.uk@gravotech.com +44 1926 884433 gravotech.co.uk

GRAVOTECH LTD

Unit 3 Trojan Business Centre, Tachbrook Park Drive, Leamington Spa CV34 6RH, Warwickshire, United Kingdom



Distributed by:

Follow us:





(f) Gravotech - Gravograph

Gravotech-LASER CO2-09-2024-en-UK. The information, photos and illustrations contained in this document are not binding and can be modified without notice. This document is non contractual. GravographTM, GravotechTM, TechniforTM, WeLaseTM, GravostyleTM and DedicaceTM are used, pending or registered trademarks of a Gravotech Group company. ©Gravotech Marking - 466 rue des Mercières - Z.I. Périca - 69140 Rillieux-la-Pape - France. Société par Actions Simplifiée with a share capital of 11 531 016€ - SIREN : 334 818 515 RCS Lyon.